

**Locarno**

**Thermostatic Trim with Volume Control**

Surface: **chrome** Part no. : **04821000**




**Description**

**Features**


- Consists of: Thermostatic Trim
- Thermostatic cartridge
- Volume control for 1 outlet
- Flow: 6.0 GPM (22.7 L/Min)
- Optimized for water-efficient shower products
- Anti-scald 100° safety stop
- Mounting Material, Assembly instructions

**Item details**


**Compliance**



**Product image**



**Scale drawing**



**Locarno**


**Thermostatic Trim with Volume Control**

Surface: **chrome** Part no. : **04821000**



**Exploded drawing**

Year of production: >02/21



## Locarno

### Thermostatic Trim with Volume Control

Surface: **chrome** Part no. : **04821000**



#### Spare parts list

Year of production: >02/21

Pos.	Description	Part no.	Price	PU
1	handle for thermostat	93917000	-	1
2	handle fixing set	95843000	-	1
3	handle	93918000	-	1
4	hollow set screw M4x5	92846000	-	1
5	escutcheon	93921000	-	1
6	O-ring 44x4	98471000	-	1
7	O-ring 30x5	98153000	-	1
8	sleeve	92216000	-	1
9	sleeve	96446000	-	1
10	set of fixing screws	96454000	-	1
11	holder for escutcheon	98793000	-	1
12	nut	98913000	-	1
13	thermostat cartridge	98282000	-	1
14	cartridge for exchanged connections	92373000	-	1
15	O-ring 20x1,5	98197000	-	1
16	O-ring 25x1,5	98146000	-	1
17	O-ring 25x2,5	92146000	-	1
18	shut off unit right closing	94009000	-	1
19	set of screws	96525000	-	1
20	O-ring 36x2	98156000	-	1
21	O-ring 16x2	98133000	-	1
22	noise reduction	94073000	-	1
23	set of non return valves DW 15	97350000	-	1
24	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
25	extension 25 mm	13595000	-	1
26	set of fixing screws	97747000	-	1
27	compensation set 1°	95521000	-	1