









MEM Bath spout for wall mounting - Brushed Durabron (23kt Gold)


13 801 782 Product version from 3/10/2014



- 220mm projection
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 38.5 l/min at 3 bar flow pressure
- WRAS

	Brushed Durabron (23kt Gold)	13 801 782-28
	Chrome	13 801 782-00
	Brushed Platinum	13 801 782-06
	Platinum	13 801 782-08
	Dark Chrome	13 801 782-19
	Brushed Champagne (22kt Gold)	13 801 782-46
	Champagne (22kt Gold)	13 801 782-47
	Brushed Dark Platinum	13 801 782-99


Recommended miscellaneous

	Concealed wall elbow - • max. recess depth mm • min. recess depth mm	35 085 970 90
---	---	---------------


MEM Bath spout for wall mounting - Brushed Durabron (23kt Gold)

13 801 782 Product version from 3/10/2014

mm [inches]



Flow rate chart



Codes & Standards

Scottish Water
Byelaws

UK Water Supply
Regulations



MEM Bath spout for wall mounting - Brushed Durabronze (23kt Gold)


13 801 782 Product version from 3/10/2014

Certificates

WRAS_2203

MEM Bath spout for wall mounting - Brushed Durabronz (23kt Gold)

13 801 782 Product version from 3/10/2014



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 14 10 111 90	seal	1	2
2	90 27 78 035 00-28	rosette	1	20
3	04 28 22 290 00-28	spout	1	20