

## TARA Bath spout for wall mounting - Brushed Durabronz (23kt Gold)


13 801 892 Product version from 4/1/2024



- 200mm projection
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure
- WRAS

	Brushed Durabronz (23kt Gold)	13 801 892-28
	Chrome	13 801 892-00
	Brushed Platinum	13 801 892-06
	Platinum	13 801 892-08
	Dark Chrome	13 801 892-19
	Brushed Light Gold	13 801 892-27
	Matte Black	13 801 892-33
	Brushed Bronze	13 801 892-42
	Brushed Champagne (22kt Gold)	13 801 892-46
	Champagne (22kt Gold)	13 801 892-47
	Brushed Chrome	13 801 892-93
	Brushed Dark Platinum	13 801 892-99


### Recommended miscellaneous

	<b>Concealed wall elbow -</b> • max. recess depth mm • min. recess depth mm	35 085 970 90
---	---	---------------


**TARA Bath spout for wall mounting - Brushed Durabronz (23kt Gold)**

13 801 892 Product version from 4/1/2024

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

**Ü-Zeichen**



## TARA Bath spout for wall mounting - Brushed Durabron (23kt Gold)

---

13 801 892 Product version from 4/1/2024

### Certificates

---


LGA\_18

WRAS\_1811

WRAS\_240602

**TARA Bath spout for wall mounting - Brushed Durabross (23kt Gold)**

13 801 892 Product version from 4/1/2024



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 89 009-28	rosette	1	20
2	90 14 10 025 00 90	seal	2	2
3	04 28 22 198 20-28	spout	1	20
4	90 23 01 024 00-28	aerator	1	20