


NOTES:

- ① 1. FIT / FORM / FUNCTION SHALL FOLLOW PS-E.008.
- ② 2. PUT THESE ITEMS IN SEPARATE PLASTIC BAGS.
- ③ 3. TORQUE TO 7.5-8.5 LB-FT.
- ④ 4. APPLY LIGHT FILM OF DOW CORNING 111 SILICONE COMPOUND TO ALL O-RINGS PRIOR TO INSTALLATION.
- ⑤ 5. APPLY LOCTITE 242, IF SCREW DOES NOT HAVE NYLON PATCH.
- ⑥ 6. APPLY LOCTITE 680.

△ APPLY SILICONE GREASE 10" FROM OUTLET OF PN 11877.



J.R. 01/21/2020

BILL OF MATERIAL (CURRENT LEVEL)

ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.
1	20-215	BASE RING ASM	ASSEMBLY	1
2	20-277	MAIN BODY ASM, CONTEMP	ASSEMBLY	1
3	12628	COLLAR	PART	1
4	12637	SPOUT ADAPTER	PART	1
5	91030	O-RING, #2- 115, EPDM, 65-75 DURO, NSF 61	PART	4
6	91645	SLEEVE	PART	1
7	12494	SPOUT	PART	1
8	91544	MAGNET DOCKING	ASSEMBLY	1
9	11877	HOSE, PULLDOWN, GREY	ASSEMBLY	1
10	3-592	SPRAY HEAD, CONTEMP	ASSEMBLY	1
11	1-064	SINGLE LEVER CARTRIDGE	PART	1
12	1-266	CART. RETAINER ASM	ASSEMBLY	1
13	11874	HANDLE ADAPTER SCREW	PART	1
14	12840	HANDLE HUB	PART	1
15	91534	CARTRIDGE STEM INSERT	PART	1
16	20-317	HANDLE LEVER ASM	ASSEMBLY	1
17	91255	O-RING, #2- 011, EPDM, 65-75 DURO, NSF-61	PART	2
18	91568	RETAINER CLIP	PART	1
19	1-256	MOUNTING KIT	ASSEMBLY	1
20	91341	ZIP TIE	PART	1
21	98044	LABEL - HOT	PART	1
22	1-286	WEIGHT	ASSEMBLY	1

TESTING	-	-	-
ASSEMBLY	-	-	-
PLATING	-	-	-
POLISHING	-	NEXT ASSY	USED ON
MACHINING	-	APPLICATION	
TOOLING FIXTURE #		REMOVE ALL BURRS AND SHARP EDGES	

BRASSTECH 2001 CARNEGIE AVE.
INCORPORATED SANTA ANA, CA 92705
(949) 417-5207


PREP/BAR PULLDOWN

DWG NO. **3200-5223** REV **B**

SCALE .300 REF. - SHEET 1 OF 3

ZONE	REV	DESCRIPTION	DATE	APPROVED
-	B	EN-3931b	09/24/19	J.M.
-	A	EN-3413b	11/14/17	JM
-	-	EN-3076	03/15/17	JM

COPYRIGHT 2005 BRASSTECH, INC. THESE DRAWINGS AND THE DESIGNS DEPICTED HEREIN ARE THE PROPRIETARY PROPERTY OF BRASSTECH. ANY USE OR REPRODUCTION IS SUBJECT TO THE EXPRESS APPROVAL OF BRASSTECH. UNAUTHORIZED USE IS STRICTLY PROHIBITED. ALL RIGHTS RESERVED.



BRASSTECH		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
INCORPORATED			
DWG NO.	3200-5223		REV B
SCALE .200	REF. -	SHEET 2 OF 3	

