

## TARA Wall-mounted basin mixer without pop-up waste - Dark Chrome

36 712 892



- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Dark Chrome	36 712 892-19 0010
	Chrome	36 712 892-00 0010
	Brushed Platinum	36 712 892-06 0010
	Platinum	36 712 892-08 0010
	Brushed Durabronz (23kt Gold)	36 712 892-28 0010
	Matte Black	36 712 892-33 0010
	Brushed Bronze	36 712 892-42 0010
	Brushed Champagne (22kt Gold)	36 712 892-46 0010
	Champagne (22kt Gold)	36 712 892-47 0010
	Brushed Chrome	36 712 892-93 0010
	Brushed Dark Platinum	36 712 892-99 0010

### Required miscellaneous



- Concealed wall-mounted mixer centred spout -** 35 700 970-90 0010
- max. recess depth mm
  - min. recess depth mm

### Required miscellaneous





- Concealed wall-mounted mixer variable positioning -** 35 720 970-90 0010
- max. recess depth mm
  - min. recess depth mm



## TARA Wall-mounted basin mixer without pop-up waste - Dark Chrome

---

36 712 892



### Codes & Standards

---

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)
cUPC	NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372
NSF61			

### Certificates

---

IAPMO\_N-4976    IAPMO\_6397    IAPMO\_4976 (

# TARA Wall-mounted basin mixer without pop-up waste - Dark Chrome

---

36 712 892

