



## MEM Wall-mounted single-lever mixer with cover plate without drain - Brushed Champagne (22kt Gold)

36 864 782



- 8-1/8" Projection
  - Rigid spout
  - Rectangular aerated stream
  - Spout hole diameter 1-1/2"
  - Hole diameter single-lever mixer 2-1/4"
  - Cover plate 3-1/8" x 7-1/8"
  - Water flow rate limited to max. 1.2 gpm
  - lead-free
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- (ADA)**

(ADA)

	Brushed Champagne (22kt Gold)	36 864 782-46 0010
	Chrome	36 864 782-00 0010
	Brushed Platinum	36 864 782-06 0010
	Platinum	36 864 782-08 0010
	Dark Chrome	36 864 782-19 0010
	Brushed Durabronze (23kt Gold)	36 864 782-28 0010
	Champagne (22kt Gold)	36 864 782-47 0010
	Brushed Dark Platinum	36 864 782-99 0010

### Required article




**Rough for wall-mounted faucet -** 35 860 970-90 0010

- Max. rough in depth "
- Min. rough in depth "
- Rough can be rotated to position the lever on top or to the left of the spout.




## MEM Wall-mounted single-lever mixer with cover plate without drain - Brushed Champagne (22kt Gold)

36 864 782  
mm [inches]



### Flow rate chart



### Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)
cUPC	NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372
NSF61			



MEM Wall-mounted single-lever mixer with cover plate without drain - Brushed  
Champagne (22kt Gold)

---

36 864 782

Certificates

---


IAPMO\_N-4976

IAPMO\_6397

IAPMO\_4976 (

**MEM Wall-mounted single-lever mixer with cover plate without drain - Brushed  
Champagne (22kt Gold)**

36 864 782



**Spare parts list**

Number	Item Number	Designation	Number of units	Lead time
1	09 24 03 072 10 90	nipple	1	2
2	90 11 01 170 00-46	plate	1	30
3	04 28 22 149 10-46	spout	1	30
4	90 29 03 118 00 90	aerator	1	2
5	90 31 20 109 00 90	plug	1	2
6	90 31 11 030 00 90	pin	1	2
7	09 20 78 058-46	handle	1	60
8	09 11 02 288-46	cover	1	60
9	90 15 05 064 01 90	cartridge	1	2
10	90 30 09 064 00 90	key	1	2