

# Voleta 20.75" 3 Light Pendant Natural Brass

42140NBR (Natural Brass)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_



## Certifications/Qualifications

|                 |  |
|-----------------|--|
| Location Rating | Dry  |
|                 | <a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a> |

## Dimensions

|                   |          |
|-------------------|----------|
| Base Backplate    | 4.75 DIA |
| Chain/Stem Length | 72"      |
| Weight            | 6.30 LBS |
| Height            | 20.75"   |
| Overall Height    | 95.00"   |
| Width             | 16.50"   |

## Mounting/Installation

|                   |          |
|-------------------|----------|
| Interior/Exterior | Interior |
| Lead Wire Length  | 22       |
| Mounting Weight   | 6.30 LBS |

## Primary Lamping

|                        |              |
|------------------------|--------------|
| Bulb Product ID        | 4064CLR      |
| Lamp Included          | Not Included |
| Lamp Type              | B            |
| Light Source           | Incandescent |
| Max or Nominal Watt    | 60W          |
| # of Bulbs/LED Modules | 3            |
| Max Wattage/Range      | 60W          |
| Socket Type            | CAND         |
| Socket Wire            | 105          |

## Product/Ordering Information

|        |              |
|--------|--------------|
| SKU    | 42140NBR     |
| Finish | Brass        |
| Style  | Traditional  |
| UPC    | 783927574297 |




## Compatible Accessories

|   |         |
|---|---------|
| 36" Standard Gauge Chain<br>Natural Brass | 2996NBR |
|---|---------|

## Specifications

|          |       |
|----------|-------|
| Material | STEEL |
|----------|-------|

## Additional Finishes

-  Black
-  Brushed Nickel
-  Natural Brass

### Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010  
 Toll free: 866.558.5706 or kichler.com

### Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.  
 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.