

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35819 19"	3000K 90	AL Brushed Aluminum	16.5W	1276	787	Yes
	3000K 90	WT White	16.5W	1276	787	Yes

Example: **WS-35819-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES


- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES



LINE DRAWING



WS-35819

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35825 25"	3000K 90	AL Brushed Aluminum	22W	1708	1054	Yes
	3000K 90	WT White	22W	1708	1054	Yes

Example: **WS-35825-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser

FINISHES



LINE DRAWING



WS-35825

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35837 37"	3000K 90	AL Brushed Aluminum	34W	2585	1595	Yes
	3000K 90	WT White	34W	2585	1595	Yes

Example: **WS-35837-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser

FINISHES



LINE DRAWING



WS-35837

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35849 49"	3000K 90	AL Brushed Aluminum	44W	3399	2097	Yes
	3000K 90	WT White	44W	3399	2097	Yes

Example: **WS-35849-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser

FINISHES



LINE DRAWING



WS-35849

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35861 61"	3000K 90	AL Brushed Aluminum	53W	3610	2228	Yes
	3000K 90	WT White	53W	3610	2228	Yes

Example: **WS-35861-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.

FEATURES


- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS



Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES



LINE DRAWING



WS-35861

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35873 73"	3000K 90	AL Brushed Aluminum	64W	4912	3031	Yes
	3000K 90	WT White	64W	4912	3031	Yes

Example: **WS-35873-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser

FINISHES



LINE DRAWING



WS-35873

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Nightstick

Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-35897 97"	3000K 90	AL Brushed Aluminum	84W	6458	3985	Yes
	3000K 90	WT White	84W	6458	3985	Yes

Example: **WS-35897-AL**

DESCRIPTION

A slender bar of light available in a variety of lengths from very short (1.5 feet) to very long (over 8 feet) gives you multiple mounting options for a clean and consistent lighting scheme no matter the size of your environment.


FEATURES

- Multiple sizes to meet numerous applications
- Decorative plate to cover up to a standard 4" junction box is included
- ACLED driverless technology
- 5 year warranty


SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser

FINISHES



LINE DRAWING



WS-35897