

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82919 19"	3000K 90	22W	120 VAC	1492	770	AL Brushed Aluminum

Example: **WS-82919-AL**

DESCRIPTION


Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed



FINISHES



Brushed
Aluminum

LINE DRAWING

19 1/8"



WS-82919

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82925 25"	3000K 90	29.7W	120 VAC	2071	1142	AL Brushed Aluminum

Example: **WS-82925-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82925

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82937 37"	3000K 90	44.3W	120 VAC	3084	1746	AL Brushed Aluminum

Example: **WS-82937-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82937

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82950 50"	3000K 90	59.4W	120 VAC	4130	2312	AL Brushed Aluminum

Example: **WS-82950-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82950

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82962 62"	3000K 90	74.3W	120 VAC	5394	3074	AL Brushed Aluminum

Example: **WS-82962-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82962

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82974 74"	3000K 90	88.6W	120 VAC	6168	3492	AL Brushed Aluminum

Example: **WS-82974-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82974

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82998 98"	3000K 90	118.8W	120 VAC	8284	4568	AL Brushed Aluminum

Example: **WS-82998-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed



FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82998