

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-7316 16"	2700K 90	24.5W	1845	875	BN Brushed Nickel CH Chrome

Example: **WS-7316-BN**

- For alternate color temperature, special order adding -27 or -35: WS-7316-30-BN

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES

- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	2700K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%
<b>Rated Life:</b>	80000 Hours
<b>Mounting:</b>	Can be mounted on ceiling or wall in all orientations
<b>Standards:</b>	ETL, cETL Damp Location Listed
<b>Construction:</b>	Aluminum hardware with glass diffuser

#### REPLACEMENT PARTS


RPL-GLA-7316 - Glass for WS-7316



#### FINISHES



#### LINE DRAWING



**WS-7316**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-7322 22"	2700K 90	34.5W	2580	1350	BN Brushed Nickel CH Chrome

Example: **WS-7322-BN**

- For alternate color temperature, special order adding -27 or -35: WS-7316-30-BN

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES

- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	2700K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%
<b>Rated Life:</b>	80000 Hours
<b>Mounting:</b>	Can be mounted on ceiling or wall in all orientations
<b>Standards:</b>	ETL, cETL Damp Location Listed
<b>Construction:</b>	Aluminum hardware with glass diffuser

#### REPLACEMENT PARTS

RPL-GLA-7322 - Glass for WS-7322




#### FINISHES



Brushed Nickel Chrome

#### LINE DRAWING



**WS-7322**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-7334 34"	2700K 90	48W	4043	2100	BN Brushed Nickel CH Chrome

Example: **WS-7334-BN**

- For alternate color temperature, special order adding -27 or -35: WS-7316-30-BN

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES

- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


<b>Color Temp:</b>	2700K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%
<b>Rated Life:</b>	80000 Hours
<b>Mounting:</b>	Can be mounted on ceiling or wall in all orientations
<b>Standards:</b>	ETL, cETL Damp Location Listed
<b>Construction:</b>	Aluminum hardware with glass diffuser

#### REPLACEMENT PARTS


RPL-GLA-7334 - Glass for WS-7334



#### FINISHES



#### LINE DRAWING



**WS-7334**